




1,2,3-TRICHLOROPROPANE			ICSC: 0683
Date of Peer Review: October 2002 Glycerol trichlorohydrin Allyl trichloride			
CAS #	96-18-4	$C_3H_5Cl_3$ / $CH_2ClCHClCH_2Cl$	
RTECS #	TZ9275000	Molecular mass: 147.4	
UN #	2810		
EC #	602-062-00-X		
TYPES OF HAZARD / EXPOSURE	ACUTE HAZARDS / SYMPTOMS	PREVENTION	FIRST AID / FIRE FIGHTING
FIRE	Combustible. Gives off irritating or toxic fumes (or gases) in a fire.	NO open flames.	Powder, alcohol-resistant foam, water spray, carbon dioxide.
EXPLOSION	Above 74°C explosive vapour/air mixtures may be formed. Risk of fire and explosion on contact with metals.	Above 74°C use a closed system, ventilation, and explosion-proof electrical equipment.	In case of fire: keep drums, etc., cool by spraying with water.
EXPOSURE		AVOID ALL CONTACT!	IN ALL CASES CONSULT A DOCTOR!
Inhalation	Cough. Sore throat. Headache. Drowsiness. Unconsciousness.	Ventilation, local exhaust, or breathing protection.	Fresh air, rest. Artificial respiration may be needed. Refer for medical attention.
Skin	Dry skin. Redness. Prickling.	Protective gloves. Protective clothing.	Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.
Eyes	Redness. Pain.	Safety spectacles, or eye protection in combination with breathing protection.	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
Ingestion	Nausea. Headache. Vomiting. Diarrhoea. Drowsiness. Unconsciousness.	Do not eat, drink, or smoke during work. Wash hands before eating.	Rinse mouth. Do NOT induce vomiting. Give plenty of water to drink. Refer for medical attention.
SPILLAGE DISPOSAL		PACKAGING & LABELLING	

<p>Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent and remove to safe place. Do NOT let this chemical enter the environment. (Extra personal protection: filter respirator for organic gases and vapours.)</p>	<p>Marine pollutant. EU Classification Symbol: <u>Xn</u> R: <u>20/21/22</u> S: <u>(2-)-37/39</u> Note: [D] UN Classification UN Hazard Class: 6.1 UN Pack Group: III</p>
EMERGENCY RESPONSE	STORAGE
<p>Transport Emergency Card: TEC (R)-61GT1-I NFPA Code: H3; F2; R0;</p>	<p>Separated from metals. Cool. Keep in a well-ventilated room.</p>
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 45%;"> <p>IPCS International Programme on Chemical Safety</p>  </div> <div style="width: 50%;"> <p>Prepared in the context of cooperation between the International Programme on Chemical Safety and the Commission of the European Communities © IPCS, CEC 1999</p> <p>SEE IMPORTANT INFORMATION ON BACK</p> </div> </div>	

1,2,3-TRICHLOROPROPANE		ICSC: 0683
IMPORTANT DATA		
<p>PHYSICAL STATE; APPEARANCE: COLOURLESS LIQUID, WITH CHARACTERISTIC ODOUR.</p> <p>PHYSICAL DANGERS: The vapour is heavier than air.</p> <p>CHEMICAL DANGERS: The substance decomposes on burning producing toxic and corrosive fumes. Reacts violently with metals causing explosion hazard.</p> <p>OCCUPATIONAL EXPOSURE LIMITS: TLV: 10 ppm as TWA; (skin); A3; (ACGIH 2002). MAK: Carcinogen category: 2; (DFG 2002).</p>		<p>ROUTES OF EXPOSURE: The substance can be absorbed into the body by inhalation of its vapour, through the skin and by ingestion.</p> <p>INHALATION RISK: A harmful contamination of the air will be reached rather slowly on evaporation of this substance at 20°C.</p> <p>EFFECTS OF SHORT-TERM EXPOSURE: The substance is irritating to the eyes and the respiratory tract. The substance may cause effects on the liver and kidneys, resulting in impaired functions. Exposure at high concentrations may result in unconsciousness.</p> <p>EFFECTS OF LONG-TERM OR REPEATED EXPOSURE: This substance is probably carcinogenic to humans.</p>
PHYSICAL PROPERTIES		
<p>Boiling point: 156°C Melting point: -14°C</p>		<p>Relative density of the vapour/air-mixture at 20°C (air = 1): 1.01</p>

Relative density (water = 1): 1.4 Solubility in water: none Vapour pressure, kPa at 20°C: 0.29 Relative vapour density (air = 1): 5.1	Flash point: 74°C Auto-ignition temperature: 304°C Explosive limits, vol% in air: 3.2-12.6 Octanol/water partition coefficient as log Pow: 2.27
ENVIRONMENTAL DATA	
The substance is harmful to aquatic organisms. This substance may be hazardous to the environment; special attention should be given to ground water contamination.	
NOTES	
Do NOT take working clothes home.	
ADDITIONAL INFORMATION	
LEGAL NOTICE	Neither the CEC nor the IPCS nor any person acting on behalf of the CEC or the IPCS is responsible for the use which might be made of this information
© IPCS, CEC 1999	

See Also:

[Toxicological Abbreviations](#)

[Trichloropropane, 1,2,3- \(CICADS 56, 2003\)](#)

[Trichloropropane, 1,2,3- \(IARC Summary & Evaluation, Volume 63, 1995\)](#)